






A 类-对半法兰组件-标准压力

SF-A

A 类-SAE J518 对口法兰及连接件						标准压力系列 3000PSI=210 Bar		
型号	规格	公制管	美标管	法兰组件	焊接套管	A	S	L
SF-A-08	1/2"	20.0*3.0	40	KSF-08 KSFM-08	M-BW-08-08 E-BW-08	20.0	3.0	30
SFM-A-08		21.3*2.6	80			21.3	2.6	30
		22.0*2.0				22.0	2.0	30
SF-A-12	3/4"	22.0*2.0	40	KSF-12 KSFX-12	M-BW-12-12 E-BW-12	22.0	2.0	35
SFM-A-12		25.0*3.0	80			25.0	3.0	35
		26.9*3.6	160			26.9	3.6	35
SF-A-16	1"	30.0*4.0		KSF-16 KSFM-16	M-BW-16-16 E-BW-16	30.0	4.0	40
		30.0*5.0	40			30.0	5.0	40
		33.7*3.2	80			33.7	3.2	40
SFM-A-16		33.7*4.5	160			33.7	4.5	40
		35.0*4.0				35.0	4.0	40
SF-A-20	1-1/4"	38.0*30		KSF-20 KSFM-20	M-BW-20-20 E-BW-20	38.0	3.0	45
		38.0*4.0	40			38.0	4.0	45
		42.0*3.0	80			42.0	3.0	45
SF-A-20		42.3*3.2	160			42.3	3.2	45
		42.4*5.6				42.4	5.6	45
SF-A-24	1-1/2"	38.0*30		KSF-24 KSFM-24	M-BW-24-24 E-BW-24	38.0	3.0	50
		38.0*4.0	40			38.0	4.0	50
		42.0*3.0	80			42.0	3.0	50
SFM-A-24		48.3*4.5	160			48.3	4.5	50
		48.3*6.3				48.3	6.3	50
SF-A-32	2"	42.0*3.0		KSF-32 KSFM-32	M-BW-32-32 E-BW-32	42.0	3.0	60
		42.3*3.2	40			42.3	3.2	60
		48.3*3.2	80			48.3	3.2	60
SFM-A-32		60.3*2.9	160			60.3	2.9	60
		60.3*5.6				60.3	5.6	60
		60.3*8.0				60.3	8.0	60
SF-A-40	2-1/2"	76.1*2.9	40	KSF-40 KSFM-40	M-BW-40-40 E-BW-40	76.1	2.9	70
		76.1*3.6	80			76.1	3.6	70
SFM-A-40		76.1*7.1	160			76.1	7.1	70
SF-A-48	3"	60.3*3.6		KSF-48 KSFM-48	M-BW-48-48 E-BW-48	60.3	3.6	80
		76.1*3.5	40			76.1	3.5	80
		76.1*7.1	80			76.1	7.1	80
SFM-A-48		82.5*7.1	160			82.5	7.1	80
		88.9*3.2				88.9	3.2	80
		88.9*3.6				88.9	3.6	80
SF-A-56	3-1/2"	76.1*3.6	40	KSF-56 KSFM-56	M-BW-56-56 E-BW-56	76.1	3.6	80
SFM-A-56		88.9*3.6	80			88.9	3.6	80
			160					
SF-A-64	4"	76.1*3.6	40	KSF-64 KSFM-64	M-BW-64-64 E-BW-64	76.1	3.6	80
		88.9*3.6	80			88.9	3.6	80
SFM-A-64		114.3*3.6	160			114.3	3.6	80
SF-A-80	5"	127.0*4	40	KSF-80 KSFM-80	M-BW-80-80 E-BW-80	127.0	4.0	80
SFM-A-80		139.7*4	80			139.7	4.0	80
			160					



A 类-对半法兰组件-高压

SFX-A

A 类-SAE J518 对口法兰及连接件 高压力系列 6000PSI=420 Bar								
型号.	规格	公制管	美标管	法兰组件	焊接套管	A	S	L
SFX-A-08 SFXM-A-08	1/2"	16.0*2.5	80	KSFx-08 KSFxM-08	M-BWx-08-08 E-BWx-08	16.0	2.5	40
		20.0*3.0	160			20.0	3.0	40
		21.3*4.5	XXH			21.3	4.5	40
SFX-A-12 SFXM-A-12	3/4"	20.0*3.0	80	KSFx-12 KSFxM-12	M-BWx-12-12 E-BWx-12	20.0	3.0	45
		25.0*4.0	160			25.0	4.0	45
		26.9*5.6	XXH			26.9	5.6	45
SFX-A-16 SFXM-A-16	1"	25.0*4.0	80 160 XXH	KSFx-16 KSFxM-16	M-BWx-16-16 E-BWx-16	25.0	4.0	50
		30.0*4.0				30.0	4.0	50
		30.0*5.0				30.0	5.0	50
		33.7*7.1				33.7	7.1	50
		38.0*6.0				38.0	6.0	50
SFX-A-20 AFxM-A-20	1-1/4"	30.0*4.0	80 160 XXH	KSFx-20 KSFxM-20	M-BWx-20-20 E-BWx-20	30.0	4.0	55
		38.0*5.0				38.0	5.0	55
		38.0*6.0				38.0	6.0	55
		42.4*8.8				42.4	8.8	55
SFX-A-24 SFXM-A-24	1-1/2'	25.0*4.0	80 160 XXH	KSFx-24 KSFxM-24	M-BWx-24-24 E-BWx-24	25.0	4.0	60
		38.0*5.0				38.0	4.0	60
		48.3*6.3				48.3	6.3	60
		48.3*8.				48.3	8.0	60
		48.3*8.8				48.3	8.8	60
SFX-A-32 SFXM-A-32	2"	60.3*8.0	80 160 XXH	KSFx-32 KSFxM-32	M-BWx-32-32 E-BWx-32	60.3	8.0	70
		60.3*10.0				60.3	10.0	70
		60.3*12.5				60.3	12.5	70
		63.8*8.0				63.5	8.0	70
		76.1*12.5				76.1	12.5	70
SFXM-A-40	2-1/2"	76.1*12.5	---	KSFxM-40	E-BWx-40	76.1	12.5	75
		88.9*16				88.9	16	75
SFXM-A-48	3"	101.6*16	---	KSFxM-48	E-BWx-48	101.6	16	80

美标系列产品定货：例子：型号：M-80BWx-16-16 公制管路：型号 E-BWx-20-30-0*4.0


80 代表美制 80 系列管子 30-0*4.0 代表公制管外径和壁厚

现代法兰 120% 关注用户的每一个细节




大连现代机械有限公司.

Phone: 86+411-4315638, Fax:86+411-4319677 URL:http://www.modernflanges.com




Modern is always touching the Future!



B 类- 对半法兰组件-标准压力

SF-B

B 类- SAE J518 对口法兰及连接件 标准压力系列 3000PSI=210 Bar										
型号.	规格	公制管	美标管	法兰组件	焊接套管	套管 0-槽	套管 平面	A	S	L
SF-B-08 SFM-B-08	1/2"	20.0*3.0	40	KSF-08	SFTW-08	M-BW-08-08 E-BW-08	M-BWN-08-08 E-BWN-08	20.0	3.0	30
		21.3*2.6	80					21.3	2.6	30
		22*2.0	160					22.0	2.0	30
SF-B-12 SFM-B-12	3/4"	22.0*2.0	40	KSF-12	SFTW-12	M-BW-12-12 E-BW-12	M-BWN-12-12 E-BWN-12	22.0	2.0	30
		22.0*2.0	80					22.0	2.0	35
		25.0*3.0	160					25.0	3.0	35
SF-B-16 SFM-B-16	1"	26.9*3.6	40 80 160	KSF-16	SFTW-16	M-BW-16-16 E-BW-16	M-BWN-16-16 E-BWN-16	26.9	3.6	35
		30.0*4.0						30.0	4.0	40
		30.0*5.0						30.0	5.0	40
		33.7*3.2						33.7	3.2	40
		33.7*4.5						33.7	4.5	40
SF-B-20 SFM-B-20	1-1/4"	35.0*4.0	40 80 160	KSF-20	SFTW-20	M-BW-20-20 E-BW-20	M-BWN-20-20 E-BWN-20	35.0	4.0	40
		38.0*30						38.0	3.0	45
		38.0*4.0						38.0	4.0	45
		42.0*3.0						42.0	3.0	45
		42.3*3.2						42.3	3.2	45
SF-B-24 SFM-B-24	1-1/2'	42.4*5.6	40 80 160	KSF-24	SFTW-24	M-BW-24-24 E-BW-24	M-BWN-24-24 E-BWN-24	42.4	5.6	45
		38.0*30						38.0	30	50
		38.0*4.0						38.0	4.0	50
		42.0*3.0						42.0	3.0	50
		48.3*4.5						48.3	4.5	50
SF-B-32 SFM-B-32	2"	48.3*6.3	40 80 160	KSF-32	SFTW-32	M-BW-32-32 E-BW-32	M-BWN-32-32 E-BWN-32	48.3	6.3	50
		42.0*3.0						42.0	3.0	60
		42.3*3.2						42.3	3.2	60
		48.3*3.2						48.3	3.2	60
		60.3*2.9						60.3	2.9	60
		60.3*5.6						60.3	5.6	60
SF-B-40 SFM-B-40	2-1/2"	60.3*8.0	40 80 160	KSF-40	SFTW-40	M-BW-40-40 E-BW-40	M-BWN-40-40 E-BWN-40	60.3	8.0	60
		76.1*2.9						76.1	2.9	70
		76.1*3.6						76.1	3.6	70
SF-B-48 SFM-B-48	3'	76.1*7.1	40 80 160	KSF-48	SFTW-48	M-BW-48-48 E-BW-48	M-BWN-48-48 E-BWN-48	76.1	7.1	70
		60.3*3.6						60.3	3.6	80
		76.1*3.5						76.1	3.5	80
		76.1*7.1						76.1	7.1	80
		82.5*7.1						82.5	7.1	80
		88.9*3.2						88.9	3.2	80
SF-B-56 SFM-B-56	3-1/2"	88.9*3.6	40 80 160	KSF-56	SFTW-56	M-BW-56-56 E-BW-56	M-BWN-56-56 E-BWN-56	88.9	3.6	80
		76.1*3.6						76.1	3.6	80
SF-B-64 SFM-B-64	4"	88.9*3.6	40 80 160	KSF-64	SFTW-64	M-BW-64-64 E-BW-64	M-BWN-64-64 E-BWN-64	88.9	3.6	80
		76.1*3.6						76.1	3.6	80
		114.3*3.6						114.3	3.6	80
SF-B-80 SFM-B-80	5"	127.0*4.0	40 80	KSF-80	SFTW-80	M-BW-80-80 E-BW-80	M-BWN-80-80 E-BWN-80	127.0	4.0	80
		139.7*4.0						139.7	4.0	80




B 类-对半法兰组件-高压

SFX-B

B 类- SAE J518 对口法兰及连接件 高压力系列 6000PSI=420 Bar										
型号.	规格	公制管	美标管	法兰组件	焊接套管	套管 0-槽	套管 平面	A	S	L
SFX-B-08 SFXM-B-08	1/2"	16.0*2.5	80	KSFX-08	SFTW-08	M-BWX-08-0 8 E-BWX-08	M-BWXN-08-0 8 E-BWXN-08	16.0	2.5	40
		20.0*3.0	160					20.0	3.0	40
		21.3*4.5	XXH					21.3	4.5	40
SFX-B-12 SFXM-B-12	3/4"	20.0*3.0	80	KSFX-12	SFTW-12	M-BWX-12-1 2 E-BWX-12	M-BWXN-12-1 2 E-BWXN-12	20.0	3.0	45
		25.0*4.0	160					25.0	4.0	45
		26.9*5.6	XXH					26.9	5.6	45
SFX-B-16 SFXM-B-16	1"	25.0*4.0	80 160 XXH	KSFX-16	SFTW-16	M-BWX-16-1 6 E-BWX-16	M-BWXN-16-1 6 E-BWXN-16	25.0	4.0	50
		30.0*4.0						30.0	4.0	50
		30.0*5.0						30.0	5.0	50
		33.7*7.1						33.7	7.1	50
SFX-B-20 SFXM-B-20	1-1/4"	38.0*6.0	80 160 XXH	KSFX-20	SFTW-20	M-BWX-20-2 0 E-BWX-20	M-BWXN-20-2 0 E-BWXN-20	38.0	6.0	50
		30.0*4.0						30.0	4.0	55
		38.0*5.0						38.0	5.0	55
		38.0*6.0						38.0	6.0	55
SFX-B-24 SFXM-B	1-1/2"	42.4*8.8	80 160 XXH	KSFX-24	SFTW-24	M-BWX-24-2 4 E-BWX-24	M-BWXN-24-2 4 E-BWXN-24	42.4	8.8	55
		25.0*4.0						25.0	4.0	60
		38.0*5.0						38.0	4.0	60
		48.3*6.3						48.3	6.3	60
SFX-B-32 SFXM-B-32	2"	48.3*8.	80 160 XXH	KSFX-32	SFTW-32	M-BWX-32-3 2 E-BWX-32	M-BWXN-32-3 2 E-BWXN-32	48.3	8.0	60
		48.3*8.8						48.3	8.8	60
		60.3*8.0						60.3	8.0	70
		60.3*10.0						60.3	10.0	70
SFXM-B-40	2-1/2"	60.3*12.5	80 160 XXH	KSFX-40	SFTW-40	E-BWX-40	E-BWXN-40	60.3	12.5	70
		63.5*8.0						63.5	8.0	70
		76.1*12.5						76.1	12.5	70
		76.1*12.5						76.1	12.5	75
SFXM-B-48	3"	88.9*16	---	KSFX-48	SFTW-48	E-BWX-48	E-BWXN-48	88.9	16	75
		101.6*16						101.6	16	80

Working together we can make things happen







C 类-对半法兰组件-标准压力

SF-C

C 类- SAE J518 对口法兰及连接件 标准压力系列 3000PSI=210 Bar									
型号.	规格	公制管	美标管	基本组件	整体法兰	焊接套管	A	S	L
SF-C-08 SFM-C-08	1/2"	20.0*3.0	40	KSF-08	SFTW-08	M-BWN-08-08 E-BWN-08	20.0	3.0	30
		21.3*2.6	80				21.3	2.6	30
		22*2.0	160				22.0	2.0	30
SF-C-12 SFM-C-12	3/4"	22.0*2.0	40	KSF-12	SFTW-12	M-BWN-12-12 E-BWN-12	22.0	2.0	30
		22.0*2.0	80				22.0	2.0	35
		25.0*3.0	160				25.0	3.0	35
SF-C-16 SFM-C-16	1"	26.9*3.6	40	KSF-16	SFTW-16	M-BWN-16-16 E-BWN-16	26.9	3.6	35
		30.0*4.0					30.0	4.0	40
		30.0*5.0					30.0	5.0	40
		33.7*3.2					33.7	3.2	40
		33.7*4.5					33.7	4.5	40
SF-C-20 SFM-C-20	1-1/4"	35.0*4.0	40	KSF-20	SFTW-20	M-BWN-20-20 E-BWN-20	35.0	4.0	40
		38.0*3.0					38.0	3.0	45
		38.0*4.0					38.0	4.0	45
		42.0*3.0					42.0	3.0	45
		42.3*3.2					42.3	3.2	45
SF-C-24 SFM-C-24	1-1/2"	42.4*5.6	40	KSF-24	SFTW-24	M-BWN-24-24 E-BWN-24	42.4	5.6	45
		38.0*3.0					38.0	3.0	50
		38.0*4.0					38.0	4.0	50
		42.0*3.0					42.0	3.0	50
		48.3*4.5					48.3	4.5	50
SF-C-32 SFM-C-32	2"	48.3*6.3	40	KSF-32	SFTW-32	M-BWN-32-32 E-BWN-32	48.3	6.3	50
		42.0*3.0					42.0	3.0	60
		42.3*3.2					42.3	3.2	60
		48.3*3.2					48.3	3.2	60
		60.3*2.9					60.3	2.9	60
SF-C-40 SFM-C-40	2-1/2"	60.3*5.6	40	KSF-40	SFTW-40	M-BWN-40-40 E-BWN-40	60.3	5.6	60
		60.3*8.0					60.3	8.0	60
		76.1*2.9					76.1	2.9	70
		76.1*3.6					76.1	3.6	70
		76.1*7.1					76.1	7.1	70
SF-C-48 SFM-C-48	3"	60.3*3.6	40	KSF-48	SFTW-48	M-BWN-48-48 E-BWN-48	60.3	3.6	80
		76.1*3.5					76.1	3.5	80
		76.1*7.1					76.1	7.1	80
		82.5*7.1					82.5	7.1	80
		88.9*3.2					88.9	3.2	80
SF-C-56 SFM-C-56	3-1/2"	88.9*3.6	40	KSF-56	SFTW-56	M-BWN-56-56 E-BWN-56	88.9	3.6	80
		76.1*3.6					76.1	3.6	80
		88.9*3.6					88.9	3.6	80
		76.1*3.6					76.1	3.6	80
		114.3*3.6					114.3	3.6	80
SF-C-64 SFM-C-64	4"	127.0*4.0	40	KSF-64	SFTW-64	M-BWN-64-64 E-BWN-64	127.0	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80
SF-C-80 SFM-C-80	5"	139.7*4.0	40	KSF-80	SFTW-80	M-BWN-80-80 E-BWN-80	139.7	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80
		139.7*4.0					139.7	4.0	80





C 类-对半法兰组件-高压

SFX-C

C 类- SAE J518 对口法兰及连接件 高压力系列 6000PSI=420 Bar									
型号.	规格	公制管	美标管	基本组件	整体法兰	焊接套管	A	S	L
SFX-C-08 SFXM-C-08	1/2"	16.0*2.5	80	KSFX-08	SFTW-08	M-BWX-08-08 E-BWXN-08	16.0	2.5	40
		20.0*3.0	160				20.0	3.0	40
		21.3*4.5	XXH				21.3	4.5	40
SFX-C-12 SFXM-C-12	3/4"	20.0*3.0	80	KSFX-12	SFTW-12	M-BWX-12-12 E-BWXN-12	20.0	3.0	45
		25.0*4.0	160				25.0	4.0	45
		26.9*5.6	XXH				26.9	5.6	45
SFX-C-16 SFXM-C-16	1"	25.0*4.0	80 160 XXH	KSFX-16	SFTW-16	M-BWX-16-16 E-BWXN-16	25.0	4.0	50
		30.0*4.0					30.0	4.0	50
		30.0*5.0					30.0	5.0	50
		33.7*7.1					33.7	7.1	50
		38.0*6.0					38.0	6.0	50
SFX-C-20 SFXM-C-20	1-1/4"	30.0*4.0	80 160 XXH	KSFX-20	SFTW-20	M-BWX-20-20 E-BWXN-20	30.0	4.0	55
		38.0*5.0					38.0	5.0	55
		38.0*6.0					38.0	6.0	55
		42.4*8.8					42.4	8.8	55
SFX-C-24 SFXM-C-24	1-1/2'	25.0*4.0	80 160 XXH	KSFX-24	SFTW-24	M-BWX-24-24 E-BWXN-24	25.0	4.0	60
		38.0*5.0					38.0	4.0	60
		48.3*6.3					48.3	6.3	60
		48.3*8.					48.3	8.0	60
		48.3*8.8					48.3	8.8	60
SFX-C-32 SFX-C-32	2"	60.3*8.0	80 160 XXH	KSFX-32	SFTW-32	M-BWX-32-32 E-BWXN-32	60.3	8.0	70
		60.3*10.0					60.3	10.0	70
		60.3*12.5					60.3	12.5	70
		63.5*8.0					63.5	8.0	70
		76.1*12.5					76.1	12.5	70
SFXM-C-40	2-1/2"	76.1*12.5	---	KSFX-40	SFTW-40	E-BWXN-40	76.1	12.5	75
SFXM-C-48	3"	88.9*16	---	KSFX-48	SFTW-48	E-BWXN-48	88.9	16	75
		101.6*16					101.6	16	80

现代法兰全程控制质量，并持续改进。







D 类-对半法兰组件-标准压力

SF-D


D 类-SAE J518 对口法兰及连接件 标准压力系列 3000PSI=210 Bar										
型号.	规格	公制管	美标管	基本组件	整体法兰	焊接套管	封盖	A	S	L
SF-D-08 SFM-D-08	1/2"	20.0*3.0	40	KSF-08	SFTW-08	M-BWN-08-08 E-BWN-08	M-FPO-08	20.0	3.0	30
		21.3*2.6						21.3	2.6	30
		22*2.0						22.0	2.0	30
SF-D-12 SFM-D-12	3/4"	22.0*2.0	80	KSF-12	SFTW-12	M-BWN-12-12 E-BWN-12	M-FPO-12	22.0	2.0	30
		22.0*2.0						22.0	2.0	35
		25.0*3.0						25.0	3.0	35
SF-D-16 SFM-D-16	1"	26.9*3.6	40	KSF-16	SFTW-16	M-BWN-16-16 E-BWN-16	M-FPO-16	26.9	3.6	35
		30.0*4.0						30.0	4.0	40
		30.0*5.0						30.0	5.0	40
		33.7*3.2						33.7	3.2	40
		33.7*4.5						33.7	4.5	40
		35.0*4.0						35.0	4.0	40
SF-D-20 SFM-D-20	1-1/4"	38.0*3.0	40	KSF-20	SFTW-20	M-BWN-20-20 E-BWN-20	M-FPO-20	38.0	3.0	45
		38.0*4.0						38.0	4.0	45
		42.0*3.0						42.0	3.0	45
		42.3*3.2						42.3	3.2	45
		42.4*5.6						42.4	5.6	45
SF-D-24 SFM-D-24	1-1/2'	38.0*3.0	40	KSF-24	SFTW-24	M-BWN-24-24 E-BWN-24	M-FPO-24	38.0	3.0	50
		38.0*4.0						38.0	4.0	50
		42.0*3.0						42.0	3.0	50
		48.3*4.5						48.3	4.5	50
		48.3*6.3						48.3	6.3	50
SF-D-32 SFM-D-32	2"	42.0*3.0	40	KSF-32	SFTW-32	M-BWN-32-32 E-BWN-32	M-FPO-32	42.0	3.0	60
		42.3*3.2						42.3	3.2	60
		48.3*3.2						48.3	3.2	60
		60.3*2.9						60.3	2.9	60
		60.3*5.6						60.3	5.6	60
		60.3*8.0						60.3	8.0	60
SF-D-40 SFM-D-40	2-1/2"	76.1*2.9	40	KSF-40	SFTW-40	M-BWN-40-40 E-BWN-40	M-FPO-40	76.1	2.9	70
		76.1*3.6						76.1	3.6	70
		76.1*7.1						76.1	7.1	70
SF-D-48 SFM-D-48	3'	60.3*3.6	40	KSF-48	SFTW-48	M-BWN-48-48 E-BWN-48	M-FPO-48	60.3	3.6	80
		76.1*3.5						76.1	3.5	80
		76.1*7.1						76.1	7.1	80
		82.5*7.1						82.5	7.1	80
		88.9*3.2						88.9	3.2	80
		88.9*3.6						88.9	3.6	80
SF-D-56 SFM-D-56	3-1/2"	76.1*3.6	40	KSF-56	SFTW-56	M-BWN-56-56 E-BWN-56	M-FPO-56	76.1	3.6	80
		88.9*3.6						88.9	3.6	80
SF-D-64 SFM-D-64	4"	76.1*3.6	40	KSF-64	SFTW-64	M-BWN-64-64 E-BWN-64	M-FPO-64	76.1	3.6	80
		114.3*3.6						114.3	3.6	80
		127.0*4.0						127.0	4.0	80
SF-D-80 SFM-D-80	5"	139.7*4.0	40	KSF-80	SFTW-80	M-BWN-80-80 E-BWN-80	M-FPO-80	139.7	4.0	80
		139.7*4.0						139.7	4.0	80




D 类-对半法兰组件-高压

SFX-D

D 类-SAE J518 对口法兰及连接件 高压力系列 6000PSI=420 Bar										
型号.	规格	公制管	美标管	基本组件	整体法兰	封盖	焊接套管	A	S	L
SFX-D-08	1/2"	16.0*2.5	80	KSFX-08	SFTW-08	M-FPOX-08	M-BWXN-08-08 E-BWXN-08	16.0	2.5	40
		20.0*3.0	160					20.0	3.0	40
		21.3*4.5	XXH					21.3	4.5	40
SFX-D-12	3/4"	20.0*3.0	80	KSFX-12	SFTW-12	M-FPOX-12	M-BWXN-12-12 E-BWXN-12	20.0	3.0	45
		25.0*4.0	160					25.0	4.0	45
		26.9*5.6	XXH					26.9	5.6	45
SFX-D-16	1"	25.0*4.0	80 160 XXH	KSFX-16	SFTW-16	M-FPOX-16	M-BWXN-16-16 E-BWXN-16	25.0	4.0	50
		30.0*4.0						30.0	4.0	50
		30.0*5.0						30.0	5.0	50
		33.7*7.1						33.7	7.1	50
		38.0*6.0						38.0	6.0	50
SFX-D-20	1-1/4"	30.0*4.0	80 160 XXH	KSFX-20	SFTW-20	M-FPOX-20	M-BWXN-20-20 E-BWXN-20	30.0	4.0	55
		38.0*5.0						38.0	5.0	55
		38.0*6.0						38.0	6.0	55
		42.4*8.8						42.4	8.8	55
SFX-D-24	1-1/2'	25.0*4.0	80 160 XXH	KSFX-24	SFTW-24	M-FPOX-24	M-BWXN-24-24 E-BWXN-24	25.0	4.0	60
		38.0*5.0						38.0	4.0	60
		48.3*6.3						48.3	6.3	60
		48.3*8.						48.3	8.0	60
SFX-D-32	2"	48.3*8.8	80 160 XXH	KSFX-32	SFTW-32	M-FPOX-32	M-BWXN-32-32 E-BWXN-32	48.3	8.8	60
		60.3*8.0						60.3	8.0	70
		60.3*10.0						60.3	10.0	70
		60.3*12.5						60.3	12.5	70
		63.5*8.0						63.5	8.0	70
SFX-D-40	2-1/2"	76.1*12.5	---	KSFX-40	SFTW-40	M-FPOX-40	E-BWXN-40	76.1	12.5	75
		88.9*16						88.9	16	75
SFX-D-48	3"	101.6*16	---	KSFX-48	SFTW-48	M-FPOX-48	E-BWXN-48	101.6	16	80






E 类-对半法兰组件-标准压力

SF-E

E 类-SAE J518 对口法兰及连接件 标准压力系列 3000PSI=210 Bar					
型号.	规格	公制管	美标管	基本组件	封盖
SF-E-08 SFM-E-08	1/2"	20.0*3.0	40	KSF-08 KSFM-08	M-FPO-08
		21.3*2.6	80		
		22*2.0	160		
SF-E-12 SFM-E-12	3/4"	22.0*2.0	40	KSF-12 KSFM-12	M-FPO-12
		22.0*2.0	80		
		25.0*3.0	160		
SF-E-16 SFM-E-16	1"	26.9*3.6	40 80 160	KAS-16 KSFM-16	M-FPO-16
		30.0*4.0			
		30.0*5.0			
		33.7*3.2			
		33.7*4.5			
		35.0*4.0			
SF-E-20 SFM-E-20	1-1/4"	38.0*3.0	40 80 160	KSF-20 KSFM-20	M-FPO-20
		38.0*4.0			
		42.0*3.0			
		42.3*3.2			
SF-E-24 SFM-E-24	1-1/2'	42.4*5.6	40 80 160	KSF-24 KSFM-24	M-FPO-24
		38.0*3.0			
		38.0*4.0			
		42.0*3.0			
SF-E-32 SFM-E-32	2"	48.3*4.5	40 80 160	KSF-32 KSFM-32	M-FPO-32
		48.3*6.3			
		42.0*3.0			
		42.3*3.2			
		48.3*3.2			
SF-E-40 SFM-E-40	2-1/2"	60.3*2.9	40 80 160	KSF-40 KSFM-40	M-FPO-40
		60.3*5.6			
		60.3*8.0			
		76.1*2.9			
SF-E-48 SFM-E-48	3'	76.1*3.6	40 80 160	KSF-48 KSFM-48	M-FPO-48
		76.1*7.1			
		82.5*7.1			
		88.9*3.2			
		88.9*3.6			
		76.1*3.6			
SF-E-56 SFM-E-56	3-1/2"	88.9*3.6	40 80	KSF-56 KSFM-56	M-FPO-56
SF-E-64 SFM-E-64	4"	76.1*3.6	40	KSF-64 KSFM-64	M-FPO-64
		114.3*3.6	80		
		127.0*4.0	160		
SF-E-80 SFM-E-80	5"	127.0*4.0	40	KSF-80 KSFM-80	M-FPO-80
		139.7*4.0	80		



E 类-对半法兰组件-高压

SFX-E

E 类-SAE J518 对口法兰及连接件 高压力系列 6000PSI=420 Bar					
型号.	规格	公制管	美标管	基本组件	封盖
SFX-E-08 SFXM-E-08	1/2"	16.0*2.5	80 160 XXH	KSFX-08 KSFXM-08	M-FPOX-08
		20.0*3.0			
		21.3*4.5			
SFX-E-12 SFXM-E-12	3/4"	20.0*3.0	80 160 XXH	KSFX-12 KSFXM-12	M-FPOX-12
		25.0*4.0			
		26.9*5.6			
SFX-E-16 SFXM-E-16	1"	25.0*4.0	80 160 XXH	KSFX-16 KSFXM-16	M-FPOX-16
		30.0*4.0			
		30.0*5.0			
		33.7*7.1			
SFX-E-20 SFXM-E-20	1-1/4"	38.0*6.0	80 160 XXH	KSFX-20 KSFXM-20	M-FPOX-20
		30.0*4.0			
		38.0*5.0			
		38.0*6.0			
SFX-E-24 SFXM-E-24	1-1/2'	42.4*8.8	80 160 XXH	KSFX-24 KSFXM-24	M-FPOX-24
		25.0*4.0			
		38.0*5.0			
		48.3*6.3			
		48.3*8.			
SFX-E-32 SFXM-E-32	2"	48.3*8.8	80 160 XXH	KSFX-32 KSFXM-32	M-FPOX-32
		60.3*8.0			
		60.3*10.0			
		60.3*12.5			
		76.1*12.5			
SFXM-E-40	2-1/2"	76.1*12.5	---	KSFXM-40	M-FPOX-40
SFXM-E-48	3"	88.9*16	---	KSFXM-48	M-FPOX-48
		101.6*16	---		

